Neurobehavioral Toxicology and Teratology, Vol. 5, © 1983 by Ankho International Inc. Printed in the U.S.A.

NEUROBEHAVIORAL TOXICOLOGY AND TERATOLOGY

VOLUME 5 1983

SUBJECT INDEX

Abnormal brain development, 139
  ethanol
  hippocampal mossy fibers
  prenatal exposure
  teratology
  zinc
Abnormal movement measurement, 605
  chorea scale
  Huntington's disease
  motor impairment scale
Abortion, 229
  alcohol
  perinatal death
  swine, female
Acetaldehyde
  alcohol dehydrogenase, 193
  biological markers, 201
  ethanol, 201
  ethanol dependence, 193
  isoenzymes, 193
  pharmacogenetics, 193
  pharmacokinetics, 201
  sex differences, 201
Acetate, 171
  citrate
  diet
  drinking
  ethanol narcosis
  ethanol preference
  ethanol tolerance
  fructose
  glucose
  heredity
  housing conditions
  metabolic differences
  pyruvate
  sex differences
  strain differences
  vitamin B complex
Acquisition, 541
  open field
  slow learning, rats
  toluene
Acrylamide neuropathy, 151
  cell body changes
  distal axonopathy
  2,5-hexanedione
  neurobehavioral toxicity
  morphology
Activity, 527
  lead exposure
Addictive drugs, 237
  alcoholism
  homeostasis
ADP-ribosylation, 645
  aluminum
  Alzheimer disease
  DNA repair
Age differences
  alcohol, 247
  alcohol dehydrogenase, 205
  aldehyde dehydrogenase, 205, 247
  disulfiram, 205
  ethanol, 205
  genital organs, 205
  genital organs, female rats, 247
  sex differences, 205
  subcellular localization, 247
  vitamin A, 205
  withdrawal, 479
Aggression, 289
  exploratory behavior
  lorazepam
  neonatal exposure
  submissive behavior
Alcohol
  abortion, 229
  age differences, 247
  aldehyde dehydrogenase, 247
  Cannabis sativa, 225
  fetal alcohol syndrome, 35
  genital organs, female rats, 247
  handwriting, 225
  hyperactivity, 35
  methylphenidate, 35
  open field, 35
  perinatal death, 229
  prenatal exposure, 35
  subcellular localization, 247
  swine, female, 229
Alcohol dehydrogenase
  acetaldehyde, 193
  age differences, 205
  aldehyde dehydrogenase, 205, 255, 269
  aldehyde dehydrogenase, genital, 241
  disulfiram, 205
  ethanol, 205
  ethanol dependence, 193
  fetal alcohol syndrome, 269
  genital organs, 205
  genital organs, male rat, 241
  isoenzymes, 193
  oxidoreductases, 241
  pharmacogenetics, 193
  postnatal development, 269
  propranolol, 255
  sex differences, 205, 255
  vitamin A, 205
Alcohol sensitivity, 189
  γ-glutamyl transpeptidase
  strain differences
Alcoholism
  addictive drugs, 237
  biochemical genetics, 179
  drug abuse, 179
  homeostasis, 237
  human genetics, 179
  pharmacogenetics, 179
  polygenes, 179
Aldehyde dehydrogenase
  age differences, 205, 247
  alcohol, 247
  alcohol dehydrogenase, 205, 255, 269
  disulfiram, 205
  ethanol, 205, 233
  fetal alcohol syndrome, 269
  genital organs, 205
  genital organs, female rats, 247
  postnatal development, 269
  propranolol, 255
  sex differences, 205, 233, 255
  subcellular localization, 247
  testosterone, 233
  vitamin A, 205, 233
Aldehyde dehydrogenase, genital, 241
  alcohol dehydrogenase
  genital organs, male rat
  oxidoreductases
Aldehyde dehydrogenase, ocular, 251
  disulfiram
  ethanol
  eye regions
  vitamin A
Aluminum
  ADP-ribosylation, 645
  Alzheimer disease, 645
  behavioral deficits, 41
  body weight, 41
  classical conditioning, 41
  DNA repair, 645
  nictitating membrane, 41
  rabbits, 41
  systemic exposure, 41

Alzheimer disease
ADP-ribosylation, 645
aluminum, 645
cognitive impairment, 631
DNA repair, 645
neuropathology, 631
Amphetamine, 83
behavioral toxicity
rate dependency
stress, thermal
d-Amphetamine, postnatal exposure, 315
d-amphetamine, prenatal exposure
avoidance
learning
strain differences
d-Amphetamine, prenatal exposure, 315
d-amphetamine, postnatal exposure
avoidance
learning
strain differences
Amygdala, 465
hippocampus
kindling
lindane
seizures
Animal experiments, 503
herbicides
neurotoxicological investigations
pesticides
Animal models
behavioral neurotoxicology, 635
epilepsy, 325
fetal alcohol syndrome, 309
head dipping, 309
kindling, amygdala, 325
lathyrism, 625
lead, 325
neurotoxic diseases, 625
neurotoxicity, 325
prenatal exposure, 309
seizures, 325
short-term memory, 635
Anorexia, 523
eating
monosodium glutamate
naloxone
Antineoplastic drugs, 659
clinical neurophysiology
evoked potentials
neurotoxicity
Anxiety, 3
clomipramine
exploratory behavior
neonatal exposure
passive avoidance
sexual behavior
social behavior
Apomorphine, 161
body weight
cadmium
dopamine system supersensitivity
drug interactions
hyperactivity
locomotor activity
Apparatus, 697
computer assisted systems
Arcuate nucleus, 399
monosodium glutamate
neuronal loss
obesity
Auditory-evoked potentials
brainstem, 59, 63
functional neuropathy, 63
hearing loss, 59
2,5-hexanedione, 63
solvent abuse, 59
toluene, 59
Avoidance
d-amphetamine, postnatal exposure, 315
d-amphetamine, prenatal exposure, 315
dendrites, 363
fetal alcohol syndrome, 363
hippocampus, 363
learning, 315
prenatal exposure, 363
strain differences, 315

Basal ganglia, 611
movement disorders
pathophysiology
Behavioral audiometry, 53
conditioned avoidance
high-frequency hearing loss
solvent abuse
toluene
transient cognitive deficits
Behavioral deficits, 41
aluminum
body weight
classical conditioning
nictitating membrane
rabbits
systemic exposure
Behavioral effects
contraceptives, oral, 301
ethylene dibromide, 579
in utero exposure, 301
prenatal exposure, EDB, 579
rhesus monkeys, 301
Behavioral neurotoxicology, 635
animal models
short-term memory
Behavioral paradigms, 565
prenatal exposure, diazepam
Behavioral teratogenesis, 587
postweaning performance testing
strain differences
Behavioral teratology
competitive conditions, 17
developmental psychotoxicity, 469
developmental toxicity, 29
drinking, 17
ethanol, 461
fetal alcohol syndrome, 461
maternal narcotics, 17
methadone, 17
methylmercuric chloride, 29
opiates, 17
perinatal exposure, 17
prenatal exposure, 29
response suppression, 461
safety testing, 469
ultrasonic vocalizations, 29
Behavioral toxicity, 83
amphetamine
rate dependency
stress, thermal
Biochemical effects, 377
developmental effects
low protein diet
manganese neurotoxicity
Biochemical genetics, 179
alcoholism
drug abuse
human genetics
pharmacogenetics
polygenes

Biological markers, 201
acetaldehyde
ethanol
pharmacokinetics
sex differences
Biotelemetry, 413
biphasic drug effect
circadian rhythm
locomotor activity
Biphasic drug effect, 413
biotelemetry
circadian rhythm
locomotor activity
Body weight
aluminum, 41
apomorphine, 161
behavioral deficits, 41
cadmium, 161
classical conditioning, 41
conditioned avoidance, multisensory, 91
dopamine system supersensitivity, 161
dose-response, 91
drug interactions, 161
environmental chemicals, 91
grip strength, 91
hyperactivity, 161
lead toxicity, 283
locomotor activity, 161
motor activity, 91
neurobehavioral test battery, 91
neurotoxicity, 91
nictitating membrane, 41
profile analysis, 91
rabbits, 41
radial arm maze, 283
rectal temperature, 91
rotation orientation, 91
startle response, 91
systemic exposure, 41
thermal sensitivity, 91
zinc deficiency, 283
Brain
Ammon's horn, 337, 443
amygdala, 325, 465
arcuate nucleus, 399
basal ganglia, 611
brainstem, 59, 63, 69, 305, 443
central nervous system, 337, 431, 443, 641
dorsal root ganglia, 673
entorhinal cortices, 443
fascia dentata, 337
hippocampus, 139, 337, 357, 363, 391, 443, 465, 517, 533, 635
locus coeruleus, 221
olfactory cortex, 337
olfactory tubercle, 443, 673
pyriform cortex, 673
spiral ganglia, 673
striatum, 611, 617
visual cortex, 649
Brainstem
auditory-evoked potentials, 59, 63
functional neuropathy, 63
2,5-hexanedione, 63
hearing loss, 59
solvent abuse, 59
toluene, 59

Cadmium
apomorphine, 161
body weight, 161
conditioned emotional response, 275

dopamine system supersensitivity, 161
drug interactions, 161
eating, 275
hyperactivity, 161
locomotor activity, 161
operant behavior, 275
Caffeine, 119, 127
isolation housing
juvenile rats
locomotor activity
play-fighting
social investigation
Cannabis sativa, 225
alcohol
handwriting
Cats, 431
neurotoxicity
tri-*o*-cresyl phosphate
Cell body changes, 151
acrylamide neuropathy
distal axonopathy
2,5-hexanedione
neurobehavioral toxicity
morphology
Central nervous system
lesions, hippocampus, 337
locomotor activity, 295
neonatal exposure, toluene, 295
neurotoxicity, 337
species differences, 337
strain differences, 337
swimming, 295
toluene, 295
trimethyltin, 337
Chicks, embryonic, 259
cyclic AMP
fetal alcohol syndrome
growth suppression
prostaglandins
Chlordiazepoxide, 549
drug interaction
fetal growth
pentobarbital hypnosis
propoxyphene
Chorea scale, 605
abnormal movement measurement
Huntington's disease
motor impairment scale
Chronic exposure, 9
cobalt
conditioned suppression
metallothionein
schedule-controlled responding
testicular atrophy
Circadian activity, 407
diisopropyl phosphorofluoridate
eating
Circadian rhythm, 413
biotelemetry
biphasic drug effect
locomotor activity
Citrate, 171
acetate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
glucose
heredity
housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Classical conditioning, 41
aluminum
behavioral deficits
body weight
nictitating membrane
rabbits
systemic exposure
Clinical neurophysiology, 659
antineoplastic drugs
evoked potentials
neurotoxicity
Clomipramine, 3
anxiety
exploratory behavior
neonatal exposure
passive avoidance
sexual behavior
social behavior
Cobalt, 9
chronic exposure
conditioned suppression
metallothionein
schedule-controlled responding
testicular atrophy
Cognitive impairment, 631
Alzheimer disease
neuropathology
Competitive conditions, 17
behavioral teratology
drinking
maternal narcotics
methadone
opiates
perinatal exposure
Conditioned avoidance
behavioral audiometry, 53
hexane, 47
high-frequency hearing loss, 53
neurobehavioral effects, 47
sensory evoked potentials, 47
solvent abuse, 47, 53
toluene, 47, 53
transient cognitive deficits, 53
Conditioned avoidance, multisensory, 91
body weight
dose-response
environmental chemicals
grip strength
motor sensitivity
neurobehavioral test battery
neurotoxicity
profile analysis
rectal temperature
rotation orientation
startle response
thermal sensitivity
Conditioned emotional response, 275
cadmium
eating
operant behavior
Conditioned suppression, 9
chronic exposure
cobalt
metallothionein
schedule-controlled responding
testicular atrophy
Conditioned taste aversions, 23
halogenated hydrocarbons
Contraceptives, oral, 301
behavioral effects
in utero exposure
rhesus monkeys
Cutaneous sensation, 697
detection threshold
diabetic neuropathy
human studies
Cyclic AMP, 259
chicks, embryonic
fetal alcohol syndrome
growth suppression
prostaglandins

Dam-pup interaction, 557
maternal behavior, lead induced
neonatal lead exposure
Dendrites, 363
avoidance
fetal alcohol syndrome
hippocampus
prenatal exposure
Detection threshold, 697
cutaneous sensation
diabetic neuropathy
human studies
Developmental effects, 377
biochemical effects
low protein diet
manganese neurotoxicity
Developmental psychotoxicity, 469
behavioral teratology
safety testing
Developmental toxicity
behavioral teratology, 29
methylmercuric chloride, 29
postnatal exposure, 421
prenatal exposure, 29
trimethyltin, 421
ultrasonic vocalizations, 29
Diabetic neuropathy, 697
cutaneous sensation
detection threshold
human studies
Dialysis encephalopathy, 641
human studies
renal failure
2,4-Dichlorophenoxyacetic acid, 331
grip strength
motor activity
myotonia
neurological assessment
Diet, 171
acetate
citrate
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
glucose
heredity
housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Diisopropyl phosphorofluoridate, 407
circadian activity
eating
Discrimination, 475
prenatal exposure, ethanol
serotonin
Distal axonopathy, 151
acrylamide neuropathy
cell body changes
2,5-hexanedione

neurobehavioral toxicity
morphology
Disulfiram
age differences, 205
alcohol dehydrogenase, 205
aldehyde dehydrogenase, 205
aldehyde dehydrogenase, ocular, 251
ethanol, 205, 251
eye regions, 251
genital organs, 205
sex differences, 205
vitamin A, 205, 251
DNA repair, 645
ADP-ribosylation
aluminum
Alzheimer disease
Dopamine system supersensitivity, 161
apomorphine
body weight
cadmium
drug interactions
hyperactivity
locomotor activity
Dose-response, 91
body weight
conditioned avoidance, multisensory
environmental chemicals
grip strength
motor activity
neurobehavioral test battery
neurotoxicity
profile analysis
rectal temperature
rotation orientation
startle response
thermal sensitivity
Drinking
acetate, 171
behavioral teratology, 17
citrate, 171
competitive conditions, 17
diet, 171
ethanol narcosis, 171
ethanol preference, 171
ethanol tolerance, 171
fructose, 171
glucose, 171
heredity, 171
housing conditions, 171
material narcotics, 17
metabolic differences, 171
methadone, 17
opiates, 17
perinatal exposure, 17
pyruvate, 171
sex differences, 171
strain differences, 171
vitamin B complex, 171
Drugs
acrylamide, 91, 151
alcohol, 225, 229, 237, 247, 263
aluminum, 41
amphetamine, 83
d-amphetamine, 315
apomorphine, 161
arsenic, 91
cadmium, 161, 275
caffeine, 119, 127
Cannabis sativa, 225
carbon disulfide, 659
chloral, 23
chlordecone, 91
chlordiazepoxide, 549
clomipramine, 3
cobalt chloride, 9
cyclazocine, 413
deltamethrin, 321
diazepam, 565
1,2 dichloroethane, 23
1,2-dichloroethylene, 23
2,4-dichlorophenoxyacetic acid, 331
diisopropyl phosphorofluoridate, 407
disulfiram, 205, 251
ethanol, 35, 135, 139, 171, 181, 193, 201, 205, 211, 221, 233, 251, 255, 259, 269, 309, 351, 363, 367, 461, 475
ethylene dibromide, 579
fenfluramine, 523
D-glaucine, 305
hexane, 47, 69, 659
2,5-hexanedione, 63, 151
lead, 283, 325, 391, 557
lead acetate, 91, 527, 533
levo-alpha-acetylmethadol, 479
lindane, 465
lorazepam, 289
manganese, 377, 385
methadone, 17
methylmercuric chloride, 29
methylmercury, 91
methylphenidate, 35
methylxanthine, 119
monosodium glutamate, 399, 523
monosodium salicylate, 91
naloxone, 479, 523
permethrin, 321
phenytoin, 533
propoxyphene, 549
propranolol, 255
quipazine, 475
serotonin, 475
tetraethyl tin, 91
toluene, 47, 53, 59, 295, 541
1,1,2-trichloroethane, 23
trichloroethylene, 23
triethyl lead, 91, 367
trimethyltin, 357, 421, 443, 571, 673
trimethyltin chloride, 337
tri-*o*-cresyl phosphate, 431
zinc, 283, 527
Drug abuse, 179
alcoholism
biochemical genetics
human genetics
pharmacogenetics
polygenes
Drug interaction
apomorphine, 161
body weight, 161
cadmium, 161
chlordiazepoxide, 549
dopamine system supersensitivity, 161
fetal growth, 549
hyperactivity, 161
locomotor activity, 161
pentobarbital hypnosis, 549
propoxyphene, 549

Eating
anorexia, 523
cadmium, 275
circadian activity, 407
conditioned emotional response, 275
diisopropyl phosphorofluoridate, 407
monosodium glutamate, 523
naloxone, 523
operant behavior, 275, 321
pyrethroids, 321

Environmental chemicals, 91
body weight
conditioned avoidance, multisensory
dose-response
grip strength
motor activity
neurobehavioral test battery
neurotoxicity
profile analysis
rectal temperature
rotation orientation
startle response
thermal sensitivity
Epilepsy, 325
animal models
kindling, amygdala
lead
neurotoxicity
seizures
Ethanol
abnormal brain development, 139
acetaldehyde, 201
age differences, 205
alcohol dehydrogenase, 205
aldehyde dehydrogenase, 205, 233
aldehyde dehydrogenase, ocular, 251
behavioral teratology, 461
biological markers, 201
disulfiram, 205, 251
eye regions, 251
fetal alcohol syndrome, 221, 351, 461
genital organs, 205
hippocampal mossy fibers, 139
homing behavior, 351
hypertension, 211
locus coeruleus, 221
maternal-infant interactions, 351
microiontophoresis, 221
open field, 351
pharmacogenetics, 181
pharmacokinetics, 201
prenatal exposure, 139, 251
psychoteratology, 351
recombinant inbred mice, 181
response suppression, 461
sex differences, 201, 205, 233
single-gene effects, 181
strain differences, 181
teratology, 139
testosterone, 233
vascular smooth muscles, 211
vasoactive substances, 211
vitamin A, 205, 233, 251
withdrawal, 181
zinc, 139
Ethanol, chronic, 135
fetal alcohol syndrome
open field
prenatal exposure
response inhibition
Ethanol dependence, 193
acetaldehyde
alcohol dehydrogenase
isoenzymes
pharmacogenetics
Ethanol narcosis, 171
acetate
citrate
diet
drinking
ethanol preference
ethanol tolerance
fructose
glucose
heredity

housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Ethanol preference, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol tolerance
fructose
glucose
heredity
housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Ethanol tolerance, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
fructose
glucose
heredity
housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Ethylene dibromide, 579
behavioral effects
prenatal exposure, EDB
Evoked potentials, 659
antineoplastic drugs
clinical neurophysiology
neurotoxicity
Exploratory behavior
aggression, 289
anxiety, 3
clomipramine, 3
lorazepam, 289
neonatal exposure, 3, 289
passive avoidance, 3
sexual behavior, 3
social behavior, 3
submissive behavior, 289
Eye regions, 251
aldehyde dehydrogenase, ocular
disulfiram
ethanol
vitamin A

Fetal alcohol syndrome
alcohol, 35
alcohol dehydrogenase, 269
aldehyde dehydrogenase, 269
animal model, 309
avoidance, 363
behavioral teratology, 461
chicks, embryonic, 259
cyclic AMP, 259
dendrites, 363
ethanol, 221, 351, 461
ethanol, chronic, 135
growth suppression, 259
head dipping, 309
hippocampus, 363
homing behavior, 351
hyperactivity, 35
locus coeruleus, 221
maternal-infant interactions, 351
methylphenidate, 35
microiontophoresis, 221
neuro-reflex development, 517
open field, 35, 135, 351
neuro-reflex development, 517
postnatal development, 269
prenatal exposure, 35, 135, 309, 351
prostaglandins, 259
psychoteratology, 351
response inhibition, 135, 517
response suppression, 461
Fetal brain development, 263
γ-glutamyl transpeptidase
in utero studies
maternal alcohol administration
neonatal development
Fetal growth, 549
chlordiazepoxide
drug interaction
pentobarbital hypnosis
propoxyphene
Fixed ratio behavior, 77
stress intensity index
thermal stressors
thermoregulation
Flash evoked potential, 571
pattern reversal evoked potential
triethyltin exposure
Fructose, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
glucose
heredity
housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Functional neuropathy, 63
auditory-evoked potentials
brainstem
2,5-hexanedione

GABA
glutamic acid, 357
lesions, hippocampus, 357
low protein diet, 385
manganese neurotoxicity, 385
seizure susceptibility, 385
trimethyltin, chronic exposure, 357
Genital organs, 205
age differences
alcohol dehydrogenase
aldehyde dehydrogenase
disulfiram
ethanol
sex differences
vitamin A
Genital organs, female rats, 247
age differences
alcohol
aldehyde dehydrogenase
subcellular localization
Genital organs, male rat, 241
alcohol dehydrogenase
aldehyde dehydrogenase, genital
oxidoreductases
D-Glaucine, 305
histopathological assessment
neurobehavior test battery
neuromotor dysfunction
Glucose, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
heredity
housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Glutamic acid, 357
GABA
lesions, hippocampus
trimethyltin, chronic exposure
γ-Glutamyl transpeptidase
alcohol sensitivity, 189
fetal brain development, 263
in utero studies, 263
maternal alcohol administration, 263
neonatal development, 263
strain differences, 189
Grip strength
body weight, 91
conditioned avoidance, multisensory, 91
2,4-dichlorophenoxyacetic acid, 331
dose-response, 91
environmental chemicals, 91
motor activity, 91, 331
myotonia, 331
neurobehavioral test battery, 91
neurological assessment, 331
neurotoxicity, 91
profile analysis, 91
rectal temperature, 91
rotation orientation, 91
startle response, 91
thermal sensitivity, 91
Growth suppression, 259
chicks, embryonic
cyclic AMP
fetal alcohol syndrome
prostaglandins

Halogenated hydrocarbons, 23
conditioned taste aversions
Hamilton search task, 391
memory
monkeys
postnatal, lead exposure
prenatal, lead exposure
Handwriting, 225
alcohol
Cannabis sativa
Head dipping, 309
animal model
fetal alcohol syndrome
prenatal exposure
Hearing loss, 59
auditory-evoked potentials

brainstem
solvent abuse
toluene
Herbicides, 503
animal experiments
neurotoxicological investigations
pesticides
Heredity, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
glucose
housing conditions
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Hexane
conditioned avoidance, 47
nerve conduction velocity, 69
neurobehavioral effects, 47
neuroelectric tests, 69
sensory evoked potentials, 47, 69
solvent abuse, 47
toluene, 47
2,5-Hexanedione
acrylamide neuropathy, 151
auditory-evoked potentials, 63
brainstem, 63
cell body changes, 151
distal axonopathy, 151
functional neuropathy, 63
neurobehavioral toxicity, 151
morphology, 151
High-frequency hearing loss, 53
behavioral audiometry
conditioned avoidance
solvent abuse
toluene
transient cognitive deficits
Hippocampal afterdischarge, 533
lead exposure
Hippocampal mossy fibers, 139
abnormal brain development
ethanol
prenatal exposure
teratology
zinc
Hippocampus
amygdala, 465
avoidance, 363
dendrites, 363
fetal alcohol syndrome, 363
kindling, 465
lindane, 465
prenatal exposure, 363
seizures, 465
Histopathological assessment, 305
D-glaucine
neurobehavior test battery
neuromotor dysfunction
Homeostasis, 237
addictive drugs
alcoholism
Homing behavior, 351
ethanol
fetal alcohol syndrome
maternal-infant interactions
open field
prenatal exposure
psychoteratology
Hormone
estrogen, 301
progesterone, 301
prostaglandin dehydrogenase, 259
testosterone, 233
Housing conditions, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
glucose
heredity
metabolic differences
pyruvate
sex differences
strain differences
vitamin B complex
Human genetics, 179
alcoholism
biochemical genetics
drug abuse
pharmacogenetics
polygenes
Human studies
cutaneous sensation, 697
detection threshold, 697
diabetic neuropathy, 697
dialysis encephalopathy, 641
renal failure, 641
Huntington's disease
abnormal movement measurement, 605
chorea scale, 605
kainic acid, 617
lesions, striatal kainate, 617
motor impairment scale, 605
neurotoxins, 617
pathophysiology, 617
Hyperactivity
alcohol, 35
apomorphine, 161
body weight, 161
cadmium, 161
dopamine system supersensitivity, 161
drug interactions, 161
fetal alcohol syndrome, 35
hypoactivity, 367
locomotor activity, 161
methylphenidate, 35
neurotoxicity, 367
open field, 35
passive avoidance, 367
prenatal exposure, 35
sensory deficits, 367
triethyl lead, 367
Hypertension, 211
ethanol
vascular smooth muscles
vasoactive substances
Hypoactivity, 367
hyperactivity
neurotoxicity
passive avoidance
sensory deficits
triethyl lead

In utero exposure, 301
behavioral effects
contraceptives, oral
rhesus monkeys
In utero studies, 263
fetal brain development
γ-glutamyl transpeptidase
maternal alcohol administration
neonatal development
Isoenzymes, 193
acetaldehyde
alcohol dehydrogenase
ethanol dependence
pharmacogenetics
Isolation housing, 127
caffeine
juvenile rats
locomotor activity
play-fighting
social investigation

Juvenile rats, 127
caffeine
isolation housing
locomotor activity
play-fighting
social investigation

Kainic acid, 617
Huntington's disease
lesions, striatal kainate
neurotoxins
pathophysiology
Kindling, 465
amygdala
hippocampus
lindane
seizures
Kindling, amygdala, 325
animal models
epilepsy
lead
neurotoxicity
seizures

Lathyrism, 625
animal models
neurotoxic diseases
Lead, 325
animal models
epilepsy
kindling, amygdala
neurotoxicity
seizures
Lead exposure
activity, 527
hippocampal afterdischarge, 533
Lead toxicity, 283
body weight
radial arm maze
zinc deficiency
Learning, 315
d-amphetamine, postnatal exposure
d-amphetamine, prenatal exposure
avoidance
strain differences
Lesions, hippocampus
central nervous system, 337
GABA, 357
glutamic acid, 357
neurotoxicity, 337
species differences, 337
strain differences, 337
trimethyltin, 337
trimethyltin, chronic exposure, 357
Lesions, striatal kainate, 617
Huntington's disease
kainic acid

neurotoxins
pathophysiology
Lesions, TMT induced, 443
neuropathology
Lindane, 465
amygdala
hippocampus
kindling
seizures
Locomotor activity
apomorphine, 161
biotelemetry, 413
biphasic drug effect, 413
body weight, 161
cadmium, 161
caffeine, 119, 127
central nervous system, 295
circadian rhythm, 413
dopamine system supersensitivity, 161
drug interactions, 161
hyperactivity, 161
isolation housing, 127
juvenile rats, 127
neonatal exposure, toluene, 295
play-fighting, 127
social investigation, 119, 127
swimming, 295
toluene, 295
Locus coeruleus, 221
ethanol
fetal alcohol syndrome
microiontophoresis
Lorazepam, 289
aggression
exploratory behavior
neonatal exposure
submissive behavior
Low protein diet
biochemical effects, 377
developmental effects, 377
GABA, 385
manganese neurotoxicity, 377, 385
seizure susceptibility, 385

Manganese neurotoxicity
biochemical effects, 377
developmental effects, 377
GABA, 385
low protein diet, 377, 385
seizure susceptibility, 385
Maternal alcohol administration, 263
fetal brain development
γ-glutamyl transpeptidase
in utero studies
neonatal development
Maternal behavior, lead induced, 557
dam-pup interaction
neonatal lead exposure
Maternal-infant interactions, 351
ethanol
fetal alcohol syndrome
homing behavior
open field
prenatal exposure
psychoteratology
Maternal narcotics, 17
behavioral teratology
competitive conditions
drinking
methadone
opiates
perinatal exposure
Memory, 391
Hamilton search task
monkeys
postnatal, lead exposure
prenatal, lead exposure
Metabolic differences, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
glucose
heredity
housing conditions
pyruvate
sex differences
strain differences
vitamin B complex
Metallothionein, 9
chronic exposure
cobalt
conditioned suppression
schedule-controlled responding
testicular atrophy
Methadone, 17
behavioral teratology
competitive conditions
drinking
maternal narcotics
opiates
perinatal exposure
Method
behavioral teratology, 469
chorea scale, 605
Cincinnati psychoteratogenicity screening test battery, 587
Hamilton search task, 391
microiontophoresis, 221
motor impairment scale, 605
radial arm maze, 283
single cell recording, 611
video recording, 557
Methylmercuric chloride, 29
behavioral teratology
developmental toxicity
prenatal exposure
ultrasonic vocalizations
Methylmercury, 649
monkeys
neuropathology
visual fields
Methylphenidate, 35
alcohol
fetal alcohol syndrome
hyperactivity
open field
prenatal exposure
Microiontophoresis, 221
ethanol
fetal alcohol syndrome
locus coeruleus
Monkeys
Hamilton search task, 391
memory, 391
methylmercury, 649
neuropathology, 649
postnatal, lead exposure, 391
prenatal, lead exposure, 391
visual fields, 649
Monosodium glutamate
anorexia, 523
arcuate nucleus, 399
eating, 523
naloxone, 523
neuronal loss, 399
obesity, 399
Morphology, 151
acrylamide neuropathy
cell body changes
distal axonopathy
2,5-hexanedione
neurobehavioral toxicity
Motor activity
body weight, 91
conditioned avoidance, multisensory, 91
2,4-dichlorophenoxyacetic acid, 331
dose-response, 91
environmental chemicals, 91
grip strength, 91, 331
myotonia, 331
neurobehavioral test battery, 91
neurological assessment, 331
neurotoxicity, 91
profile analysis, 91
rectal temperature, 91
rotation orientation, 91
startle response, 91
thermal sensitivity, 91
Motor impairment scale, 605
abnormal movement measurement
chorea scale
Huntington's disease
Movement disorders, 611
basal ganglia
pathophysiology
Myotonia, 331
2,4-dichlorophenoxyacetic acid
grip strength
motor activity
neurological assessment

Naloxone, 523
anorexia
eating
monosodium glutamate
Neonatal development, 263
fetal brain development
γ-glutamyl transpeptidase
in utero studies
maternal alcohol administration
Neonatal exposure
aggression, 289
anxiety, 3
clomipramine, 3
exploratory behavior, 3, 289
lorazepam, 289
passive avoidance, 3
sexual behavior, 3
social behavior, 3
submissive behavior, 289
Neonatal exposure, toluene, 295
central nervous system
locomotor activity
swimming
toluene
Neonatal lead expsoure, 557
dam-pup interaction
maternal behavior, lead induced
Nerve conduction velocity, 69
hexane
neuroelectric tests
sensory evoked potentials
Neurobehavioral effects, 47
conditioned avoidance
hexane
sensory evoked potentials
solvent abuse
toluene

Neurobehavioral test battery
body weight, 91
conditioned avoidance, multisensory, 91
dose-response, 91
environmental chemicals, 91
D-glaucine, 305
grip strength, 91
histopathological assessment, 305
motor activity, 91
neuromotor dysfunction, 305
neurotoxicity, 91
profile analysis, 91
rectal temperature, 91
rotation orientation, 91
startle response, 91
thermal sensitivity, 91
Neurobehavioral toxicity, 151
acrylamide neuropathy
cell body changes
distal axonopathy
2,5-hexanedione
morphology
Neuroelectric tests, 69
hexane
nerve conduction velocity
sensory evoked potentials
Neurological assessment, 331
2,4-dichlorophenoxyacetic acid
grip strength
motor activity
myotonia
Neuromotor dysfunction, 305
D-glaucine
histopathological assessment
neurobehavior test battery
Neuronal loss, 399
arcuate nucleus
monosodium glutamate
obesity
Neuropathology
Alzheimer disease, 631
cognitive impairment, 631
lesions, TMT induced, 443
methylmercury, 649
monkeys, 649
visual fields, 649
Neuro-reflex development, 517
fetal alcohol syndrome
response inhibition
Neurotoxic diseases, 625
animal models
lathyrism
Neurotoxicity
animal models, 325
antineoplastic drugs, 659
body weight, 91
cats, 431
central nervous system, 337
clinical neurophysiology, 659
conditioned avoidance, multisensory, 91
dose-response, 91
environmental chemicals, 91
epilepsy, 325
evoked potentials, 659
grip strength, 91
hyperactivity, 367
hypoactivity, 367
kindling, amygdala, 325
lead, 325
lesions, hippocampus, 337
motor activity, 91
neurobehavioral test battery, 91
passive avoidance, 367
profile analysis, 91
rectal temperature, 91
rotation orientation, 91
seizures, 325
sensory deficits, 367
species differences, 337
startle response, 91
strain differences, 337
thermal sensitivity, 91
triethyl lead, 367
trimethyltin, 337
tri-*o*-cresyl phosphate, 431
Neurotoxicological investigations, 503
animal experiments
herbicides
pesticides
Neurotoxins, 617
Huntington's disease
kainic acid
lesions, striatal kainate
pathophysiology
Nictitating membrane, 41
aluminum
behavioral deficits
body weight
classical conditioning
rabbits
systemic exposure

Obesity, 399
arcuate nucleus
monosodium glutamate
neuronal loss
Open field
acquisition, 541
alcohol, 35
ethanol, 351
ethanol, chronic, 135
fetal alcohol syndrome, 35, 135, 351
homing behavior, 351
hyperactivity, 35
maternal-infant interactions, 351
methylphenidate, 35
prenatal exposure, 35, 135, 351
psychoteratology, 351
response inhibition, 135
slow learning, 541
toluene, 541
Operant behavior
cadmium, 275
conditioned emotional response, 275
eating, 275, 321
pyrethroids, 321
Opiates, 17
behavioral teratology
competitive conditions
drinking
maternal narcotics
methadone
perinatal exposure
Oxidoreductases, 241
alcohol dehydrogenase
aldehyde dehydrogenase, genital
genital organs, male rat

Passive avoidance
anxiety, 3
clomipramine, 3
exploratory behavior, 3
hyperactivity, 367
hypoactivity, 367
neonatal exposure, 3
neurotoxicity, 367
sensory deficits, 367
sexual behavior, 3
social behavior, 3
triethyl lead, 367
Pathology, 673
sensory neurons
trimethyltin
Pathophysiology
basal ganglia, 611
Huntington's disease, 617
kainic acid, 617
lesions, striatal kainate, 617
movement disorders, 611
neurotoxins, 617
Pattern reversal evoked potential, 571
flash evoked potential
triethyltin exposure
Pentobarbital hypnosis, 549
chlordiazepoxide
drug interaction
fetal growth
propoxyphene
Peptides, 523
β-endorphin
Perinatal death, 229
abortion
alcohol
swine, female
Perinatal exposure, 17
behavioral teratology
competitive conditions
drinking
maternal narcotics
methadone
opiates
Pesticides, 503
animal experiments
herbicides
neurotoxicological investigations
Pharmacogenetics
acetaldehyde, 193
alcohol dehydrogenase, 193
alcoholism, 179
biochemical genetics, 179
drug abuse, 179
ethanol, 181
ethanol dependence, 193
human genetics, 179
isoenzymes, 193
polygenes, 179
recombinant inbred mice, 181
single-gene effects, 181
strain differences, 181
withdrawal, 181
Pharmacokinetics, 201
acetaldehyde
biological markers
ethanol
sex differences
Play-fighting, 127
caffeine
isolation housing
juvenile rats
locomotor activity
social investigation
Polygenes, 179
alcoholism
biochemical genetics
drug abuse
human genetics
pharmacogenetics
Postnatal development, 269
alcohol dehydrogenase
aldehyde dehydrogenase
fetal alcohol syndrome

Postnatal exposure, 421
developmental toxicity
trimethyltin
Postnatal, lead exposure, 391
Hamilton search task
memory
monkeys
prenatal, lead exposure
Postweaning performance testing, 587
behavioral teratogenesis
strain differences
Prenatal exposure
abnormal brain development, 139
alcohol, 35
animal model, 309
avoidance, 363
behavioral teratology, 29
dendrites, 363
developmental toxicity, 29
ethanol, 139, 351
ethanol, chronic, 135
fetal alcohol syndrome, 35, 135, 309, 351
head dipping, 309
hippocampal mossy fibers, 139
hippocampus, 363
homing behavior, 351
hyperactivity, 35
maternal-infant interactions, 351
methylmercuric chloride, 29
methylphenidate, 35
open field, 35, 135, 351
psychoteratology, 351
response inhibition, 135
teratology, 139
ultrasonic vocalizations, 29
zinc, 139
Prenatal exposure, diazepam, 565
behavioral paradigms
Prenatal exposure, EDB, 579
behavioral effects
ethylene dibromide
Prenatal exposure, ethanol, 475
discrimination
serotonin
Prenatal, lead exposure, 391
Hamilton search task
memory
monkeys
postnatal, lead exposure
Profile analysis, 91
body weight
conditioned avoidance, multisensory
dose-response
environmental chemicals
grip strength
motor activity
neurobehavioral test battery
neurotoxicity
rectal temperature
rotation orientation
startle response
thermal sensitivity
Propoxyphene, 549
chlordiazepoxide
drug interaction
fetal growth
pentobarbital hypnosis
Propranolol, 255
alcohol dehydrogenase
aldehyde dehydrogenase
sex differences
Prostaglandins, 259
chicks, embryonic
cyclic AMP
fetal alcohol syndrome
growth suppression
Psychoteratology, 351
ethanol
fetal alcohol syndrome
homing behavior
maternal-infant interactions
open field
prenatal exposure
Pyrethroids, 321
eating
operant behavior
Pyruvate, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
glucose
heredity
housing conditions
metabolic differences
sex differences
strain differences
vitamin B complex

Rabbits, 41
aluminum
behavioral deficits
body weight
classical conditioning
nictitating membrane
systemic exposure
Radial arm maze, 283
body weight
lead toxicity
zinc deficiency
Rate dependency, 83
amphetamine
behavioral toxicity
stress, thermal
Recombinant inbred mice, 181
ethanol
pharmacogenetics
single-gene effects
strain differences
withdrawal
Rectal temperature, 91
body weight
conditioned avoidance, multisensory
dose-response
environmental chemicals
grip strength
motor activity
neurobehavioral test battery
neurotoxicity
profile analysis
rotation orientation
startle response
thermal sensitivity
Renal failure, 641
dialysis encephalopathy
human studies
Response inhibition
ethanol, chronic, 135
fetal alcohol syndrome, 135, 517
neuro-reflex development, 517
open field, 135
prenatal exposure, 135
Response suppression, 461
behavioral teratology
ethanol
fetal alcohol syndrome
Rhesus monkeys, 301
behavioral effects
contraceptives, oral
in utero exposure
Rotation orientation, 91
body weight
conditioned avoidance, multisensory
dose-response
environmental chemicals
grip strength
motor activity
neurobehavioral test battery
neurotoxicity
profile analysis
rectal temperature
startle response
thermal sensitivity

Safety testing, 469
behavioral teratology
developmental psychotoxicity
Schedule-controlled responding, 9
chronic exposure
cobalt
conditioned suppression
metallothionein
testicular atrophy
Seizures
amygdala, 465
animal models, 325
epilepsy, 325
hippocampus, 465
kindling, 465
kindling, amygdala, 325
lead, 325
lindane, 465
neurotoxicity, 325
Seizure susceptibility, 385
GABA
low protein diet
manganese neurotoxicity
Sensory deficits, 367
hyperactivity
hypoactivity
neurotoxicity
passive avoidance
triethyl lead
Sensory evoked potentials
conditioned avoidance, 47
hexane, 47, 69
nerve conduction velocity, 69
neurobehavioral effects, 47
neuroelectric tests, 69
solvent abuse, 47
toluene, 47
Sensory neurons, 673
pathology
trimethyltin
Serotonin, 475
discrimination
prenatal exposure, ethanol
Sex differences
acetaldehyde, 201
acetate, 171
age differences, 205
alcohol dehydrogenase, 205, 255
aldehyde dehydrogenase, 205, 233, 255
biological markers, 201
citrate, 171
diet, 171
disulfiram, 205
drinking, 171

ethanol, 201, 205, 233
ethanol narcosis, 171
ethanol preference, 171
ethanol tolerance, 171
fructose, 171
genital organs, 205
glucose, 171
heredity, 171
housing conditions, 171
metabolic differences, 171
pharmacokinetics, 201
propranolol, 255
pyruvate, 171
strain differences, 171
testosterone, 233
vitamin A, 205, 233
vitamin B complex, 171
Sex differences, neonatal rats, 497
visual evoked response
Sexual behavior, 3
anxiety
clomipramine
exploratory behavior
neonatal exposure
passive avoidance
social behavior
Short-term memory, 635
animal models
behavioral neurotoxicology
Single-gene effects, 181
ethanol
pharmacogenetics
recombinant inbred mice
strain differences
withdrawal
Slow learning, rats, 541
acquisition
open field
toluene
Social behavior, 3
anxiety
clomipramine
exploratory behavior
neonatal exposure
passive avoidance
sexual behavior
Social investigation
caffeine, 119, 127
isolation housing, 127
juvenile rats, 127
locomotor activity, 119, 127
play-fighting, 127
Solvent abuse
auditory-evoked potentials, 59
behavioral audiometry, 53
brainstem, 59
conditioned avoidance, 47, 53
hearing loss, 59
hexane, 47
high-frequency hearing loss, 53
neurobehavioral effects, 47
sensory evoked potentials, 47
toluene, 47, 53, 59
transient cognitive deficits, 53
Species differences, 337
central nervous system
lesions, hippocampus
neurotoxicity
strain differences
trimethyltin
Startle response, 91
body weight
conditioned avoidance, multisensory
dose-response
environmental chemicals
grip strength
motor activity
neurobehavioral test battery
neurotoxicity
profile analysis
rectal temperature
rotation orientation
thermal sensitivity
Strain differences
acetate, 171
alcohol sensitivity, 189
d-amphetamine, postnatal exposure, 315
d-amphetamine, prenatal exposure, 315
avoidance, 315
behavioral teratogenesis, 587
central nervous system, 337
citrate, 171
diet, 171
drinking, 171
ethanol, 181
ethanol narcosis, 171
ethanol preference, 171
ethanol tolerance, 171
fructose, 171
glucose, 171
γ-glutamyl transpeptidase, 189
heredity, 171
housing conditions, 171
learning, 315
lesions, hippocampus, 337
metabolic differences, 171
neurotoxicity, 337
pharmacogenetics, 181
postweaning performance testing, 587
pyruvate, 171
recombinant inbred mice, 181
sex differences, 171
single-gene effects, 181
species differences, 337
trimethyltin, 337
vitamin B complex, 171
withdrawal, 181
Stress intensity index, 77
fixed ratio behavior
thermal stressors
thermoregulation
Stress, thermal, 83
amphetamine
behavioral toxicity
rate dependency
Subcellular localization, 247
age differences
alcohol
aldehyde dehydrogenase
genital organs, female rats
Submissive behavior, 289
aggression
exploratory behavior
lorazepam
neonatal exposure
Swimming, 295
central nervous system
locomotor activity
neonatal exposure, toluene
toluene
Swine, female, 229
abortion
alcohol
perinatal death
Systemic exposure, 41
aluminum
behavioral deficits
body weight
classical conditioning
nictitating membrane
rabbits

Teratology, 139
abnormal brain development
ethanol
hippocampal mossy fibers
prenatal exposure
zinc
Testicular atrophy, 9
chronic exposure
cobalt
conditioned suppression
metallothionein
schedule-controlled responding
Testosterone, 233
aldehyde dehydrogenase
ethanol
sex differences
vitamin A
Thermal sensitivity, 91
body weight
conditioned avoidance, multisensory
dose-response
environmental chemicals
grip strength
motor activity
neurobehavioral test battery
neurotoxicity
profile analysis
rectal temperature
rotation orientation
startle response
Thermal stressors, 77
fixed ratio behavior
stress intensity index
thermoregulation
Thermoregulation, 77
fixed ratio behavior
stress intensity index
thermal stressors
Toluene
acquisition, 541
auditory-evoked potentials, 59
behavioral audiometry, 53
brainstem, 59
central nervous system, 295
conditioned avoidance, 47, 53
hearing loss, 59
hexane, 47
high-frequency hearing loss, 53
locomotor activity, 295
neonatal exposure, toluene, 295
neurobehavioral effects, 47
open field, 541
sensory evoked potentials, 47
slow learning, rats, 541
solvent abuse, 47, 53, 59
swimming, 295
transient cognitive deficits, 53
Transient cognitive deficits, 53
behavioral audiometry
conditioned avoidance
high-frequency hearing loss
solvent abuse
toluene
Triethyl lead, 367
hyperactivity
hypoactivity
neurotoxicity
passive avoidance
sensory deficits
Trimethyltin
central nervous system, 337

developmental toxicity, 421
lesions, hippocampus, 337
neurotoxicity, 337
pathology, 673
postnatal exposure, 421
sensory neurons, 673
species differences, 337
strain differences, 337
Trimethyltin, chronic exposure, 357
GABA
glutamic acid
lesions, hippocampus
Triethyltin exposure, 571
flash evoked potential
pattern reversal evoked potential
Tri-*o*-cresyl phosphate, 431
cats
neurotoxicity

Ultrasonic vocalizations, 29
behavioral teratology
developmental toxicity
methylmercuric chloride
prenatal exposure

Vascular smooth muscles, 211
ethanol
hypertension
vasoactive substances
Vasoactive substances, 211
ethanol
hypertension
vascular smooth muscles
Visual evoked response, 497
sex differences, neonatal rat
Visual fields, 649
methylmercury
monkeys
neuropathology
Vitamin A
age differences, 205
alcohol dehydrogenase, 205
aldehyde dehydrogenase, 205, 233
aldehyde dehydrogenase, ocular, 251
disulfiram, 205, 251
ethanol, 205, 233, 251
eye regions, 251
genital organs, 205
sex differences, 205, 233
testosterone, 233
Vitamin B complex, 171
acetate
citrate
diet
drinking
ethanol narcosis
ethanol preference
ethanol tolerance
fructose
glucose
heredity
housing conditions
metabolic differences
pyruvate
sex differences
strain differences

Withdrawal
age differences, 479
ethanol, 181
pharmacogenetics, 181
recombinant inbred mice, 181
single-gene effects, 181
strain differences, 181

Zinc, 139
abnormal brain development
ethanol
hippocampal mossy fibers
prenatal exposure
teratology
Zinc deficiency, 283
body weight
lead toxicity
radial arm maze

AUTHOR INDEX

Abel, E. L., 363, 491
Abou-Donia, M. B., 431
Adams, J., 29
Albee, R. R., 497
Albertson, T. E., 465
Ali, M. M., 377, 385
Altura, B. M., 211
Altura, B. T., 211
Annau, Z., 1, 357, 367, 399
Arieff, A. I., 641

Baker, D. M., 275
Barrett, J., 557
Barrett, R. J., 475
Berthe, J., 305
Blackburn, M., 201
Blackshear, P., 325
Bloom, A. S., 321
Booze, R. M., 367
Bornschein, R. L., 565
Bourgeois, A. E., 9, 275
Bowman, R. E., 391
Boyd, J. W., 259
Boyes, W. K., 571
Bushek, W., 697
Bushnell, P. J., 283
Buttar, H. S., 549

Caul, W. F., 135, 351, 461, 475
Chandra, S. V., 377, 385
Chang, L. W., 337, 443, 673
Clark, D. E., 9, 275
Cogan, D. C., 517
Cohen, L. E., 517
Coyle, J. T., 617
Crabbe, J. C., 181
Crapper McLachlan, D. R., 645
Cruz-Coke, R., 179

Dam, T.-V., 645
Dawson, R., Jr., 357, 399, 523
Dean, K. F., 421
Decker, J. D., 229
DeLong, M. R., 611
Dési, I., 503
Dexter, J. D., 229
Dickinson, J., 47, 53, 63
Dieringer, T., 321
Dyck, P. J., 697
Dyer, R. S., 337, 443, 571, 673

Eccles, C. U., 527, 533
Elsner, J., 413
Eskin, T., 649

Farnell, B. J., 645
Ferkany, J. W., 617
Fernandez, K., 135, 351, 461
File, S. E., 3, 289
Folstein, M. F., 605, 635
Folstein, S. E., 605

Garber, B., 161
Goldman, L., 579
Golub, M. S., 301

Haenlein, M., 351, 475
Haluska, M., 325
Harabuchi, I., 541
Hare, M. F., 9
Hayes, L., 301
Henderson, G. I., 135
Hendrickx, A. G., 301
Hodges-Savola, C. A., 139
Holloway, W. R., Jr., 119, 127
Howd, R. A., 47, 53, 59, 63

Ibraheim, M. A., 225
Ikeda, T., 541

Jacobson, S., 363
Janowsky, J. S., 181
Jensen, B., 605
Jensen, D. N., 431
Joy, R. M., 465

Kallman, M. J., 23
Kalmus, G. W., 259
Karnes, J., 697
Kaufman, L. W., 407
Kegg, P. S., 201
Kishi, R., 541
Klauenberg, B. J., 77, 83
Kosobud, A., 181

Landauer, M. R., 23
Lapadula, D. M., 431
Lapham, L. W., 649
Leigh, R. J., 605
Levin, E. D., 283, 391
Lewis, P. N., 645
Lichtblau, L., 479
Livesey, P. J., 557
Lorenzana-Jimenez, M., 295
Lutherer, L., 255
Lynch, M. R., 23

McCarren, M., 527, 533
McMillan, D. E., 337

Mactutus, C. F., 357, 367
Maehara, N., 541
Mahoney, C. A., 641
Mardones, J., 171
Mattsson, J. L., 497
Maurissen, J. P. J., 649
Mazue, G., 305
Merigan, W. H., 649
Messiha, F. S., 205, 233, 241, 247, 251, 255, 269
Michaelis, R. C., 461, 475
Middleton, C. C., 229
Miller, D. R., 29
Mitchell, C. L., 91, 331
Miyake, H., 541
Moffatt, J. H., 549
Murray, H. M., 263
Murray, R., 189
Murthy, R. C., 377, 385

Nation, J. R., 9, 275
Nelson, C. J., 29
Nichols, J. R., 237

O'Brien, P. C., 697
Olton, D. S., 635
Osborne, G. L., 135

Pennington, S. N., 259
Pihl, R. O., 161
Plonsky, M., 309
Powell, K., 325
Prahalada, S., 301
Price, J., 251
Pryor, G. T., 47, 53, 59, 63, 91

Raslear, T. G., 407
Rawat, A. K., 193
Rebert, C. S., 47, 53, 59, 63, 69, 659
Reiter, L. W., 421
Remandet, B., 305
Reyes, E., 189, 263
Riley, E. P., 35, 309
Rivera, J. M., 189, 263
Ruppert, P. H., 421

Saland, L. C., 263
Salas, M., 295

Santos-Anderson, R. M., 357
Satinder, K. P., 315
Saxena, D. K., 377, 385
Schaumburg, H. H., 625
Schlatter, J., 413
Schwark, W. S., 325
Segovia-Riquelme, N., 171
Sheppard, R. C., 151
Sherwin, B. T., 363
Shore, C. O., 565
Smith, M. J., 161
Smith, R. F., 579
Sokol, R. M., 491
Sorenson, S. S., 59, 69
Sparber, S. B., 77, 83, 479
Sparkman, G., 517
Spencer, P. S., 625
Spring, E., 697
Squibb, R. E., 331
Srinivasa, P., 301
Srivastava, R. S., 377
Staatz, C. G., 321
Stark, L. G., 465
Stemmer, K., 565
Sterling, J. W., 315
Sterman, A. B., 151, 493
Strahlendorf, H. K., 221
Strahlendorf, J. C., 221
Stratton, R., 201
Thompson, C. I., 17
Thor, D. H., 119, 127
Tilson, H. A., 91, 305, 331, 367
Tucker, J. C., 3, 289
Tumbleson, M. E., 229

Ulug, S., 35
Uyeno, E. T., 91

Valdes, J. J., 357
Varma, A., 493
Varma, S. K., 269
Vorhees, C. V., 351, 469, 565, 587
Weiss, B., 649
Wenger, G. R., 337
West, J. R., 139
Whitehouse, P. J., 631
Wilson, R. W., 259

Yokel, R. A., 41
Yokota, H., 541
Young, E. R., 181

Zaczek, R., 617
Zagon, I. S., 17
Zaki, N. N., 225
Zbinden, G., 413
Zeiner, A. R., 201